

OVERVIEW OF APPLICATION REQUIREMENTS⁺

Application requirements for XtendiMax[®] herbicide with VaporGrip[®] Technology, a restricted use pesticide, are intended to help maximize weed control with on-target applications and minimize the potential of off-target movement.

APPLICATOR PREPARATION

- **MANDATORY TRAINING & CERTIFICATION**
Only certified applicators that have completed ANNUAL dicamba or auxin-specific training may apply Xtendimax with VaporGrip Technology
- **APPLICATION TIMING**
Applications must occur between one hour after sunrise and two hours before sunset.
(DO NOT spray during an INVERSION.)

- **RECORD KEEPING**
Certified applicator MUST fill out records within 72 hours of spraying and keep them for a period of 2 years.
- **SENSITIVE CROPS**
DO NOT APPLY this product when the wind is blowing toward adjacent non-dicamba tolerant sensitive crops; this includes NON-DICAMBA TOLERANT SOYBEAN AND COTTON. Before making an application, consult a sensitive crop registry (such as FieldWatch); and survey adjacent fields and confirm the crops/areas surrounding the field prior to application. At a minimum, records must include the name of the sensitive crop registry and the date it was consulted and documentation of adjacent crops/areas and the date the survey was conducted.

- **ENDANGERED SPECIES CONCERNS**
Additional protection measures are required in specific counties where endangered species may exist. Applicators must visit EPA.gov/Endangered-Species or call 1-844-447-3813 for more information prior to any application.
- **DOWNWIND BUFFER**
For ANY application of Xtendimax[®] with VaporGrip[®] Technology, the applicator is required to maintain a minimum 110 ft buffer at 22 fl oz/A rate. Please refer to product label for additional directions for areas that can be included in buffer distance calculation.

SPRAYER SETUP

- **SPRAY VOLUME**
Apply in a minimum of 15 gallons of spray solution per acre.
- **GROUND SPEED**
Do not exceed 15 mph ground speed.
- **SPRAY BOOM HEIGHT**
Do not exceed a boom height of 24 inches above target pest or crop canopy.
- **WIND SPEED**
Apply when wind speed, measured at boom height, is between 3 and 10 mph.
(DO NOT spray during an INVERSION.)
- **SPRAY SYSTEM EQUIPMENT CLEANOUT**
Ensure that the entire spray system, including handling and loading equipment, is cleaned prior to and after each application. Applicators must utilize at minimum a triple rinse procedure as outlined within the product label.

NOZZLES & TANK MIXES

- **NOZZLES**
Applicator must visit www.xtendimaxapplicationrequirements.com to determine approved nozzles and operating pressures.
- **TANK-MIX PARTNERS**
XtendiMax[®] with VaporGrip[®] Technology may only be tank-mixed with products that have been tested and found not to adversely affect the offsite movement potential of XtendiMax[®] with VaporGrip[®] Technology. The applicator must check the website found at www.xtendimaxapplicationrequirements.com no more than 7 days before applying XtendiMax[®] with VaporGrip[®] Technology

APPLICATION RATES*


COMBINED TOTAL PER YEAR FOR ALL APPLICATIONS	88 FLUID OUNCES PER ACRE
TOTAL OF ALL BURNDOWN/EARLY PREPLANT, PREPLANT, AT PLANTING, AND PRE-EMERGENCE APPLICATIONS	44 FLUID OUNCES PER ACRE
TOTAL OF ALL POSTEMERGENCE (IN-CROP) APPLICATIONS	44 FLUID OUNCES PER ACRE
MAXIMUM POSTEMERGENCE (IN-CROP), SINGLE APPLICATION	22 FLUID OUNCES PER ACRE

* These rates are for Roundup Ready 2 Xtend[®] soybeans and cotton with XtendFlex[®] Technology

APPLICATION WINDOW FOR ROUNDUP READY[®] XTEND CROP SYSTEM**


XtendiMax[®] herbicide with VaporGrip[®] Technology Application Window in Soybeans

For best results, treat weeds early when they are relatively small (less than 4 inches). Timely application to small weeds early in the season will improve control and reduce weed competition. (Apply prior to beginning bloom or no more than 45 days after planting, whichever comes first)



XtendiMax[®] herbicide with VaporGrip[®] Technology Application Window in Cotton

(Apply up to mid-bloom stage or no more than 60 days after planting, whichever comes first)



** For any other use of XtendiMax[®] herbicide with VaporGrip[®] Technology please refer to product label at XtendiMaxApplicationRequirements.com

THIS SUMMARY IS NOT A SUBSTITUTE FOR READING AND FOLLOWING ALL PRODUCT LABELING.

FOR PRODUCT QUESTIONS OR INQUIRIES AND/OR TO REPORT ANY NON-PERFORMANCE OF THIS PRODUCT AGAINST ANY PARTICULAR WEED SPECIES, CALL 1-844-RRXTEND

*Check with your local product dealer or representative or U.S. EPA and your state pesticide regulatory agency for the product registration status and additional restrictions in your state. XtendiMax[®] herbicide with VaporGrip[®] Technology is part of the Roundup Ready[®] Xtend Crop System and is a restricted use pesticide. ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. It is a violation of federal and state law to use any pesticide product other than in accordance with its labeling. XtendiMax[®] herbicide with VaporGrip[®] Technology may not be approved in all states and may be subject to use restrictions in some states. Check with your local product dealer or representative or U.S. EPA and your state pesticide regulatory agency for the product registration status and additional restrictions in your state. For additional requirements, including approved tank-mix products and nozzles visit XtendiMaxApplicationRequirements.com. NOT ALL formulations of dicamba or glyphosate are approved for in-crop use with Roundup Ready 2 Xtend[®] soybeans. NOT ALL formulations of dicamba, glyphosate or glufosinate are approved for in-crop use with products with XtendFlex[®] Technology.

ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED FOR SUCH USES AND APPROVED FOR SUCH USE IN THE STATE OF APPLICATION. Contact the U.S. EPA and your state pesticide regulatory agency with any questions about the approval status of dicamba herbicide products for in-crop use with Roundup Ready 2 Xtend[®] soybeans or products with XtendFlex[®] Technology. Roundup Ready 2 Xtend[®] soybeans contain genes that confer tolerance to glyphosate and dicamba. Products with XtendFlex[®] Technology contain genes that confer tolerance to glyphosate, glufosinate and dicamba. Glyphosate will kill crops that are not tolerant to glyphosate. Dicamba will kill crops that are not tolerant to dicamba. Glufosinate will kill crops that are not tolerant to glufosinate. Contact your seed brand dealer or refer to the Monsanto Technology Use Guide for recommended weed control programs. Roundup Ready 2 Xtend[®], Roundup Ready[®], VaporGrip[®], XtendFlex[®] and XtendiMax[®] are registered trademarks of Bayer Group. LibertyLink[®] and the Water Droplet Design[®] is a trademark of BASF Corporation. ©2020 Bayer Group. All rights reserved.

RoundupReadyXtend.com

XtendiMaxApplicationRequirements.com